



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

# PREVALENCE OF DISEASE.

*No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.*

## UNITED STATES.

### CEREBROSPINAL MENINGITIS.

City Reports for Week Ended Jan. 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Bridgeport, Conn.....	1	.....	Lowell, Mass.....	1	1
Cambridge, Mass.....	1	.....	Lynn, Mass.....		2
Chicago, Ill.....	1	.....	Muscatine, Iowa.....	1	.....
Cumberland, Md.....	1	1	New Orleans, La.....	1	1
Dayton, Ohio.....		1	New York, N. Y.....	2	3
Jersey City, N. J.....	1	1	St. Louis, Mo.....	1	.....
Kansas City, Kans.....	1	1	Springfield, Ill.....		1
Los Angeles, Cal.....	1	1			

### DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 319.

### ERYSIPELAS.

City Reports for Week Ended Jan. 22, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Beaver Falls, Pa.....	1	.....	Newark, N. J.....	3	.....
Boston, Mass.....		3	New Castle, Pa.....	2	.....
Brockton, Mass.....	3	.....	New York, N. Y.....		5
Buffalo, N. Y.....	11	1	Philadelphia, Pa.....	15	2
Chicago, Ill.....	97	11	Pittsburgh, Pa.....	12	2
Cincinnati, Ohio.....	2	.....	Providence, R. I.....		1
Cleveland, Ohio.....	9	.....	Reading, Pa.....	1	.....
Dayton, Ohio.....		1	Rochester, N. Y.....	1	.....
Erie, Pa.....	2	.....	Sacramento, Cal.....	1	.....
Harrisburg, Pa.....	1	.....	Saginaw, Mich.....	1	.....
Hartford, Conn.....	1	.....	St. Louis, Mo.....	15	.....
Jersey City, N. J.....		2	St. Paul, Minn.....	1	.....
Kalamazoo, Mich.....	1	.....	San Francisco, Cal.....	5	.....
Kansas City, Mo.....	1	1	Scranton, Pa.....	1	.....
Lancaster, Pa.....	1	.....	Springfield, Ill.....		1
Lawrence, Mass.....		2	Stockton, Cal.....	2	.....
Long Branch, N. J.....	1	.....	Wilkes-Barre, Pa.....	2	.....
Los Angeles, Cal.....	4	1			

### LEPROSY.

City Report for Week Ended Jan. 22, 1916.

During the week ended January 22, 1916, one case of leprosy was reported at Los Angeles, Cal.

**MALARIA.****City Reports for Week Ended Jan. 22, 1916.**

During the week ended January 22, 1916, malaria was reported by cities as follows: Charleston, S. C., 1 death; Chelsea, Mass., 2 cases.

**MEASLES.**

See Diphtheria, measles, scarlet fever, and tuberculosis, page 319.

**PELLAGRA.****City Reports for Week Ended Jan. 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Jacksonville, Fla.....	1	.....	Richmond, Va.....	1	.....
Nashville, Tenn.....	.....	1	Wilmington, N. C.....	.....	1
New York, N. Y.....	1	1			

**PLAGUE.****Louisiana—New Orleans—Plague Infected Rats Found.**

Surg. Creel reported that two plague-infected rats had been found in New Orleans, La. One was trapped January 8, 1916, at 2111 Chippewa Street, and was proven positive for plague-infection February 4, 1916; the other was trapped January 25, 1916, at 4305 Annunciation Street, and was proven positive for plague-infection February 4, 1916.

**PNEUMONIA.****City Reports for Week Ended Jan. 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Auburn, N. Y.....	3	3	Lincoln, Nebr.....	1	1
Beaver Falls, Pa.....	1	.....	Los Angeles, Cal.....	10	5
Binghamton, N. Y.....	5	8	Manchester, N. H.....	2	2
Chicago, Ill.....	317	162	Muscatine, Iowa.....	1	.....
Cleveland, Ohio.....	44	46	Newark, N. J.....	55	30
Coffeyville, Kans.....	1	.....	New Castle, Pa.....	4	.....
Columbus, Ohio.....	5	10	Philadelphia, Pa.....	110	63
Covington, Ky.....	2	2	Pittsburgh, Pa.....	72	53
Dayton, Ohio.....	3	8	Reading, Pa.....	10	5
Detroit, Mich.....	15	23	Rochester, N. Y.....	8	5
Duluth, Minn.....	5	5	San Francisco, Cal.....	20	14
Grand Rapids, Mich.....	25	7	Schenectady, N. Y.....	4	4
Harrisburg, Pa.....	3	6	Spokane, Wash.....	3	3
Kalamazoo, Mich.....	4	3	Springfield, Ohio.....	2	6
Kansas City, Mo.....	8	9	Steelton, Pa.....	2	.....
Kokomo, Ind.....	1	1	Stockton, Cal.....	1	1
Lancaster, Pa.....	3	.....	York, Pa.....	2	.....
Lexington, Ky.....	1	3			

**POLIOMYELITIS (INFANTILE PARALYSIS).****City Reports for Week Ended Jan. 22, 1916.**

During the week ended January 22, 1916, poliomyelitis was reported by cities as follows: Los Angeles, Cal., 1 case; Newton, Mass., 1 case; New York, N. Y., 1 case and 1 death.

**SCARLET FEVER.**

See Diphtheria, measles, scarlet fever, and tuberculosis, page 319.

**SMALLPOX.****Maryland—Hagerstown.**

Collaborating Epidemiologist Fulton reported by telegraph February 2, 1916, that a new focus of smallpox infection had been reported in Maryland, six cases of the disease having been notified at Hagerstown, Washington County.

**Minnesota.**

Collaborating Epidemiologist Bracken reported by telegraph that during the week ended February 5, 1916, 3 new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Crow Wing County, Timothy Township, 2; Washington County, Oakdale Township, 1; Yellow Medicine County, Hanley Falls, 1.

**Texas—Cannel.**

Senior Surg. Pierce reported January 29, 1916, that since January 8, 1916, 12 cases of smallpox, with 1 death, have been reported at Cannel, Tex.

**Texas—Galveston.**

Surgeon Bahrenburg reported by telegraph that two cases of smallpox were reported at Galveston, Tex., one case each on February 3 and 5, 1916, making a total of 6 cases recently reported at that place.

**West Virginia—Berkeley County.**

Dr. W. T. Henshaw, health officer of Berkeley County, W. Va., reported February 7, 1916, that 5 cases of smallpox had been notified in Berkeley County.

**City Reports for Week Ended Jan. 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Brownsville, Tex.....	4	.....	Lincoln, Nebr.....	2	.....
Butte, Mont.....	3	.....	Little Rock, Ark.....	2	.....
Canton, Ohio.....	1	.....	Los Angeles, Cal.....	2	.....
Coffeyville, Kans.....	4	.....	Lowell, Mass.....	1	.....
Danville, Ill.....	4	.....	New Orleans, La.....	2	.....
Davenport, Iowa.....	21	.....	Omaha, Nebr.....	3	.....
Detroit, Mich.....	8	.....	Rock Island, Ill.....	2	.....
Evansville, Ind.....	12	.....	St. Paul, Minn.....	3	.....
Galesburg, Ill.....	1	.....	San Francisco, Cal.....	1	.....
Galveston, Tex.....	1	.....	Spokane, Wash.....	14	.....
Kansas City, Kans.....	8	.....	Springfield, Ill.....	15	.....
Kansas City, Mo.....	1	.....			

**TETANUS.****City Reports for Week Ended Jan. 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md. ....		1	Cleveland, Ohio. ....		1
Boston, Mass. ....		1	New York, N. Y. ....		1
Chicago, Ill. ....	1		St. Louis, Mo. ....	1	

**TUBERCULOSIS.**

See Diphtheria, measles, scarlet fever, and tuberculosis, page 319.

**TYPHOID FEVER.****New Jersey—Jersey City—Correction.**

The report from Jersey City, N. J., of 9 cases of typhoid fever as having been notified in that city during the week ended January 15, 1916, and noted in the Public Health Reports of February 4, 1916, page 258, was an error. It is stated that the cases should have been reported as chicken pox instead of typhoid fever.

**City Reports for Week Ended Jan. 22, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlantic City, N. J. ....	1		Newark, N. J. ....	1	
Baltimore, Md. ....	7	2	New Bedford, Mass. ....	2	
Binghamton, N. Y. ....		1	New Castle, Pa. ....	2	
Birmingham, Ala. ....	1		New Orleans, La. ....	4	1
Boston, Mass. ....	1		New York, N. Y. ....	21	3
Brockton, Mass. ....	2		North Adams, Mass. ....	1	
Buffalo, N. Y. ....	5		Oakland, Cal. ....	1	
Chelsea, Mass. ....		1	Pittsburgh, Pa. ....	6	2
Chicago, Ill. ....	19	4	Plainfield, N. J. ....		1
Chicopee, Mass. ....	1		Portland, Oreg. ....	4	
Cleveland, Ohio. ....	1		Reading, Pa. ....	1	
Columbus, Ohio. ....	3		Rochester, N. Y. ....		1
Covington, Ky. ....	2		St. Louis, Mo. ....	4	1
Danville, Ill. ....	1		St. Paul, Minn. ....	3	
Detroit, Mich. ....	1	1	Salt Lake City, Utah. ....		1
Dubuque, Iowa. ....		1	San Diego, Cal. ....	1	
Duluth, Minn. ....	2	1	San Francisco, Cal. ....	2	
Erie, Pa. ....	1		Scranton, Pa. ....	1	
Evansville, Ind. ....	1		Somerville, Mass. ....	1	
Fall River, Mass. ....		1	Springfield, Mass. ....	1	
Galveston, Tex. ....	3		Superior, Wis. ....		1
Grand Rapids, Mich. ....	5	1	Syracuse, N. Y. ....	1	
Indianapolis, Ind. ....	1	1	Tacoma, Wash. ....	1	
Johnstown, Pa. ....	3		Toledo, Ohio. ....	2	
Kokomo, Ind. ....	1	1	Troy, N. Y. ....	1	
Lawrence, Mass. ....	7		Waltham, Mass. ....		1
Lincoln, Nebr. ....	1		Washington, D. C. ....	4	1
Little Rock, Ark. ....	1		Wheeling, W. Va. ....		1
Los Angeles, Cal. ....	2		Wilkes-Barre, Pa. ....		1
Lowell, Mass. ....	1		York, Pa. ....	3	
Mobile, Ala. ....	1		Zanesville, Ohio. ....	6	
Morristown, N. J. ....		1			

## DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

City Reports for Week Ended Jan. 22, 1916.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	584,605	226	25	—	209	—	61	2	29	16
Boston, Mass.	745,139	339	54	3	71	2	72	—	48	28
Chicago, Ill.	2,447,045	861	101	16	115	6	209	4	233	82
Cleveland, Ohio	656,975	235	32	1	105	1	32	3	30	20
Detroit, Mich.	554,717	205	59	5	43	3	31	1	20	17
New York, N. Y.	5,468,190	1,760	350	26	312	9	145	1	341	178
Philadelphia, Pa.	1,683,664	—	68	8	190	2	56	1	84	67
Pittsburgh, Pa.	571,984	269	30	5	253	8	16	1	29	12
St. Louis, Mo.	745,988	283	13	4	15	—	24	—	50	21
From 300,000 to 500,000 inhabit- ants:										
Buffalo, N. Y.	461,335	131	29	—	490	7	17	1	24	8
Cincinnati, Ohio	406,706	181	14	—	68	2	9	—	22	23
Jersey City, N. J.	300,133	102	17	—	12	—	11	1	33	7
Los Angeles, Cal.	465,267	150	9	—	10	—	5	—	42	18
Newark, N. J.	399,000	163	31	2	139	3	20	—	56	16
New Orleans, La.	366,484	124	38	1	—	—	—	—	28	14
San Francisco, Cal.	* 416,912	166	38	3	4	—	34	—	35	18
Washington, D. C.	358,679	159	20	—	11	—	19	—	28	11
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio	209,722	81	3	—	1	—	5	—	6	5
Indianapolis, Ind.	265,578	95	4	1	1	—	3	—	4	3
Kansas City, Mo.	289,879	—	17	1	13	—	21	2	1	5
Portland, Oreg.	272,833	48	4	—	2	—	2	—	5	5
Providence, R. I.	250,025	96	24	2	5	—	17	2	1	6
Rochester, N. Y.	250,747	95	2	—	8	—	10	—	4	3
St. Paul, Minn.	241,999	65	25	2	16	—	9	—	11	4
From 100,000 to 200,000 inhabit- ants:										
Atlanta, Ga.	184,873	60	1	—	—	—	1	—	—	13
Birmingham, Ala.	174,108	37	2	1	1	—	2	—	4	8
Bridgeport, Conn.	118,434	54	4	—	—	—	4	—	3	—
Cambridge, Mass.	131,669	40	11	—	2	—	5	—	9	3
Camden, N. J.	104,349	—	3	—	2	—	2	—	7	—
Dayton, Ohio	125,509	49	3	—	4	—	31	—	2	5
Fall River, Mass.	126,904	37	6	—	5	—	4	—	9	1
Grand Rapids, Mich.	125,759	51	—	—	5	—	2	—	1	1
Hartford, Conn.	108,969	68	11	1	43	1	3	—	3	4
Lowell, Mass.	112,121	46	13	1	—	—	2	—	3	4
Lynn, Mass.	100,316	34	7	1	93	—	21	1	4	1
Nashville, Tenn.	115,978	40	2	—	—	—	1	—	6	2
New Bedford, Mass.	114,694	33	5	—	4	—	3	—	10	3
New Haven, Conn.	147,095	—	4	1	—	—	10	—	7	2
Oakland, Cal.	190,803	—	5	1	1	—	3	—	—	5
Omaha, Nebr.	135,455	—	9	—	6	2	82	6	—	6
Reading, Pa.	105,094	—	3	1	220	1	10	2	17	2
Richmond, Va.	154,674	55	6	—	3	—	2	—	7	8
Salt Lake City, Utah.	113,567	24	5	—	1	—	5	—	—	—
Scranton, Pa.	144,081	—	8	—	3	—	4	—	—	—
Spokane, Wash.	142,990	—	1	—	2	—	1	—	1	2
Springfield, Mass.	103,216	41	3	—	—	—	7	1	—	2
Syracuse, N. Y.	152,534	37	4	—	4	—	2	—	3	3
Tacoma, Wash.	108,094	—	—	—	1	—	—	—	4	—
Toledo, Ohio	187,840	93	11	1	188	1	9	—	3	6
Trenton, N. J.	109,212	72	10	2	44	4	2	—	8	3
Worcester, Mass.	160,523	85	8	—	—	—	15	1	5	7
From 50,000 to 100,000 inhabit- ants:										
Akron, Ohio	82,958	42	4	—	3	—	16	—	1	1
Altoona, Pa.	57,606	17	4	—	1	—	—	—	3	1
Atlantic City, N. J.	55,806	13	1	—	2	—	1	—	7	—
Bayonne, N. J.	67,582	—	6	—	—	—	1	—	2	—
Berkeley, Cal.	54,879	14	2	—	—	—	4	—	1	1
Binghamton, N. Y.	53,082	22	4	2	1	—	—	—	1	2
Brockton, Mass.	65,746	16	7	1	2	—	2	—	1	2
Canton, Ohio	59,139	21	—	—	12	1	21	1	1	1
Charleston, S. C.	60,427	26	3	—	—	—	2	—	—	1
Chattanooga, Tenn.	58,576	—	—	—	2	—	—	—	1	5
Covington, Ky.	56,523	18	2	—	2	—	—	—	1	6
Duluth, Minn.	91,913	24	2	—	50	—	2	—	—	4

\* Population Apr. 15, 1910; no estimate made.

## DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Jan. 22, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants—Continued.										
Erie, Pa.	73,798		2		3		3		8	
Evansville, Ind.	72,125	19	5	1	1				4	2
Fort Worth, Tex.	99,528	35	1				3			2
Harrisburg, Pa.	70,754	31	2				1		6	9
Hoboken, N. J.	76,104	28	13	1	16		4		15	6
Jacksonville, Fla.	73,137	19		1					4	3
Johnstown, Pa.	66,585	27	5	1	89		1		4	2
Kansas City, Kans.	96,854		4				4		3	1
Lancaster, Pa.	50,299		2		1		1		1	
Lawrence, Mass.	98,197	42	8		28	1	2		8	3
Little Rock, Ark.	55,158	30	2		1		1			
Malden, Mass.	50,067	19							2	2
Manchester, N. H.	76,959	27			7		5		2	2
Mobile, Ala.	56,536	25	1						2	4
New Britain, Conn.	52,203				2		3		1	4
Passaic, N. J.	69,010	22	4		31		2		1	2
Pawtucket, R. I.	58,156	25	6		17	1	4			
Rockford, Ill.	53,761	12	1		48		5			1
Sacramento, Cal.	64,806	24							2	3
Saginaw, Mich.	54,815	19	2		1		5			
San Diego, Cal.	51,115	18	8		17		3		1	2
Schenectady, N. Y.	95,265	26	3		2		3		4	1
Somerville, Mass.	85,460	24	3	3	1		3		1	
South Bend, Ind.	67,030	19	4				5		2	3
Springfield, Ill.	59,468		11	1	3		3			2
Springfield, Ohio.	50,804	22	1		2		5		1	3
Troy, N. Y.	77,738	28	1				5			3
Wilkes-Barre, Pa.	75,218	27	1		3		5		8	2
York, Pa.	50,543		2		93				1	
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,031	4					1		1	
Auburn, N. Y.	36,947	8	3		1				2	
Brookline, Mass.	31,934	5	4				5		1	
Butler, Pa.	26,587	7	1		1					1
Butte, Mont.	42,918	25			1		1		2	6
Chelsea, Mass.	*32,452	18	2		22		3		2	
Chicopee, Mass.	28,688	11	1				1		2	2
Cumberland, Md.	25,564	10	1		1				7	1
Danville, Ill.	31,554	14	1		2		2			
Davenport, Iowa.	47,127						5			
Dubuque, Iowa.	39,650									1
East Orange, N. J.	41,155	10	2		13		3		1	2
Elgin, Ill.	27,844	9	1							1
Everett, Mass.	38,307	11	3		1		3	1	2	
Everett, Wash.	33,767	7					2		1	
Fitchburg, Mass.	41,144	6	1	1	1		2		1	
Galveston, Tex.	41,076	21	1				5			1
Haverhill, Mass.	47,774	12	9	2			1		3	1
Kalamazoo, Mich.	47,364	18							1	3
Kenosha, Wis.	30,319		1		3		1			
Kingston, N. Y.	26,632	12	1		3		4		1	
La Crosse, Wis.	31,522	16	1		2		1			
Lexington, Ky.	39,703	15	2		1		2			
Lincoln, Nebr.	46,028	16	4	1	4		3			
Lorain, Ohio.	35,662		1				2			
Lynchburg, Va.	32,385	16							3	3
Madison, Wis.	30,084				21					
Medford, Mass.	25,737	10	1		1		3			
Montclair, N. J.	25,550	6			2		1		1	
Nashua, N. H.	27,114						1			
New Castle, Pa.	40,351				1		2		1	
Newport, R. I.	29,631	6	2	2						
Newton, Mass.	43,085		2							1
Niagara Falls, N. Y.	36,240	10	2		14				1	
Norristown, Pa.	30,833	9	2		1					1
Ogden, Utah.	30,466	4	1							
Orange, N. J.	32,524	18	1				3		3	1
Pasadena, Cal.	43,859	11							5	1
Perth Amboy, N. J.	39,725		10				3		2	
Pittsfield, Mass.	37,580	12			1		1			1

\* Population Apr. 15, 1910; no estimate made.

## DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Jan. 22, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 100,000 inhabit- ants—Continued.										
Portsmouth, Va.....	38,610	11	1				2			1
Racine, Wis.....	45,507	15			5				1	1
Roanoke, Va.....	41,929	15	7		1		1			
Rock Island, Ill.....	27,961	14					2	1		
Steubenville, Ohio.....	26,631	10								
Stockton, Cal.....	34,508	11	1				1		2	2
Superior, Wis.....	45,285	12	9	1			4			2
Taunton, Mass.....	35,957	20	1		2		1			2
Waltham, Mass.....	30,129	13					5			
West Hoboken, N. J.....	41,893	5	3		1		5		1	
Wheeling, W. Va.....	43,097	23				1	4			1
Williamsport, Pa.....	33,495	14	3		28		1			
From 10,000 to 25,000 inhabit- ants:										
Ann Arbor, Mich.....	14,979	5	1		1					
Beaver Falls, Pa.....	13,316				15					
Biddeford, Me.....	17,570	4								1
Braddock, Pa.....	21,310		1		3					
Cairo, Ill.....	15,593	5								
Clinton, Mass.....	* 13,075	3			1				1	
Colfeysville, Kans.....	16,765		1						1	
Concord, N. H.....	22,480	12	1		1		3			1
Galesburg, Ill.....	23,923	8								2
Harrison, N. J.....	16,555				3				1	
Kearny, N. J.....	22,753	10	2		2		1			
Kokomo, Ind.....	20,312	10	2				1			
Long Branch, N. J.....	15,057	4								
Melrose, Mass.....	17,166	5								
Morristown, N. J.....	13,158		1		1		1			
Muscatine, Iowa.....	17,287	11								
Nanticoke, Pa.....	22,441	5	2							
Newburyport, Mass.....	15,195	4								1
New London, Conn.....	20,771	11	6	1	1					
North Adams, Mass.....	* 22,019	3					3			
Northampton, Mass.....	19,846	13			1		5	1	1	
Plainfield, N. J.....	23,280	9	1		53		5		1	
Rutland, Vt.....	14,624	6								
Saratoga Springs, N. Y.....	12,842				5					
Steelton, Pa.....	15,337	2							4	
Wilkinsburg, Pa.....	22,361	11	2		27				2	
Woburn, Mass.....	15,862	6		1						

\* Population Apr. 15, 1910; no estimate made.